



Field *and* Fixtures

Lighting | Plumbing | Project Supply

PRODUCT CATALOG

Multifamily Specialties

Mailboxes

Mini-Blinds and Roller Shades

Wire Shelving

Toilet Partitions

Knox Boxes and Key Cabinets

Mirrors and LED Mirrors

Fire Extinguishers and Cabinets


Pet Stations, Bike Racks and Benches

Site Furnishings

911 Call Boxes

Construction and Safety Equipment

Sourced. Stocked. Delivered.



Matt DePrince

matt@fieldandfixtures.com

817-733-8490

fieldandfixtures.com

Contents

Mailboxes	3	Trash and Recycling	27
Mini-Blinds	8	Bike Racks	28
Roller Shades	11	Cigarette Receptacles	28
Wire Shelving	12	Planters	28
Toilet Partitions	17	Umbrellas	29
Knox Boxes and Key Cabinets	18	Bollards	29
Mirrors and LED Mirrors	21	Grills	29
Fire Extinguishers and Cabinets	22		
Pet Stations, Bike Racks and Benches	23	911 Call Boxes and Low Voltage	30
		Media Center	
Site Furnishings	26		
Benches	27	911 Call Boxes	31
Tables and Chairs	27	Low Voltage Media Center	31
		Reusable Construction Entrance	32

Mailboxes



Mailboxes come in multiple sizes and configurations. Custom configurations are also available.



Recessed Mount Mailboxes

Recessed Mount

Finish	AB = Antique Bronze; BK = Black; DB = Dark Bronze; GS = Gold Speck; PG = Postal Grey; SD = Sandstone; SS = Silver Speck; WH = White
--------	---



Cluster Boxes

Finish	AB = Antique Bronze; BK = Black; DB = Dark Bronze; GS = Gold Speck; PG = Postal Grey; SD = Sandstone; SS = Silver Speck; WH = White
--------	---



Electronic Package
Concierge



Pedestal Mounted CBU

- 8 Mail Slots, 4 Parcel Lockers
- All Mailboxes have 1 Outgoing Mail Slot

Model	Description
AX-MB-1000	Pedestal Mounted CBU 8 Mail Slots, 4 Parcel Lockers
Finish	AB = Antique Bronze; BK = Black; DB = Dark Bronze; GS = Gold Speck; PG = Postal Grey; SD = Sandstone; SS = Silver Speck; WH = White



Pedestal Mounted CBU

- 16 Mail Slots, 2 Parcel Lockers
- All Mailboxes have 1 Outgoing Mail Slot

Model	Description
AX-MB-1002	Pedestal Mounted CBU 16 Mail Slots, 2 Parcel Lockers
Finish	AB = Antique Bronze; BK = Black; DB = Dark Bronze; GS = Gold Speck; PG = Postal Grey; SD = Sandstone; SS = Silver Speck; WH = White



Pedestal Mounted CBU

- 13 Mail Slots, 1 Parcel Locker
- All Mailboxes have 1 Outgoing Mail Slot

Model	Description
AX-MB-1004	Pedestal Mounted CBU 13 Mail Slots, 1 Parcel Locker

Finish	AB = Antique Bronze; BK = Black; DB = Dark Bronze; GS = Gold Speck; PG = Postal Grey; SD = Sandstone; SS = Silver Speck; WH = White
--------	---



Pedestal Mounted CBU

- 12 Mail Slots, 1 Parcel Locker
- All Mailboxes have 1 Outgoing Mail Slot

Model	Description
AX-MB-1006	Pedestal Mounted CBU 12 Mail Slots, 1 Parcel Locker

Finish	AB = Antique Bronze; BK = Black; DB = Dark Bronze; GS = Gold Speck; PG = Postal Grey; SD = Sandstone; SS = Silver Speck; WH = White
--------	---



Pedestal Mounted CBU

- 4 Mail Slots, 2 Parcel Lockers
- All Mailboxes have 1 Outgoing Mail Slot

Model	Description
AX-MB-1008	Pedestal Mounted CBU 4 Mail Slots, 2 Parcel Lockers

Finish	AB = Antique Bronze; BK = Black; DB = Dark Bronze; GS = Gold Speck; PG = Postal Grey; SD = Sandstone; SS = Silver Speck; WH = White
--------	---



Pedestal Mounted CBU

- 8 Mail Slots, 2 Parcel Lockers
- All Mailboxes have 1 Outgoing Mail Slot

Model	Description
AX-MB-1010	Pedestal Mounted CBU 8 Mail Slots, 2 Parcel Lockers

Finish AB = Antique Bronze; BK = Black; DB = Dark Bronze; GS = Gold Speck; PG = Postal Grey; SD = Sandstone; SS = Silver Speck; WH = White



Recessed Mounted 4C Mailbox

- 10 Mail Slots, 2 Parcel Lockers
- All Mailboxes have 1 Outgoing Mail Slot

Model	Description
AX-MB-1012	Recessed Mounted 4C Mailbox 10 Mail Slots, 2 Parcel Lockers

Finish AB = Antique Bronze; BK = Black; DB = Dark Bronze; GS = Gold Speck; PG = Postal Grey; SD = Sandstone; SS = Silver Speck; WH = White

ADA Compliant




Recessed Mounted 4C Mailbox

- 29 Mail Slots
- All Mailboxes have 1 Outgoing Mail Slot

Model	Description
AX-MB-1014	Recessed Mounted 4C Mailbox 29 Mail Slots

Finish AB = Antique Bronze; BK = Black; DB = Dark Bronze; GS = Gold Speck; PG = Postal Grey; SD = Sandstone; SS = Silver Speck; WH = White





Recessed Mounted 4C Mailbox

- 22 Mail Slots
- All Mailboxes have 1 Outgoing Mail Slot

Model	Description
AX-PBF-1016	Recessed Mounted 4C Mailbox 22 Mail Slots

Finish	AB = Antique Bronze; BK = Black; DB = Dark Bronze; GS = Gold Speck; PG = Postal Grey; SD = Sandstone; SS = Silver Speck; WH = White
--------	---



Mini-Blinds





2 Inch Faux Wood Blinds

- 2" Wide slats for designer look
- 3.35" crown valance
- Heavy duty steel headrail
- Child-safe wand design
- Static resistant slats won't warp or crack



Headrail	Sturdy roll formed steel 2.28" width x 1.55" height x 0.016" thick.	Mounting Bracket	Painted steel with hinged locking front cover.
Bottomrail	Hollow extruded PVC bottomrail 2.05" width x 0.866" height x 0.075" thick.	Available Sizes, 36" Height	23×36; 35×36; 47×36; 59×36; 71×36
Slat	Delicate wood grain finish 0.11" thick x 1.969" width	Available Sizes, 48" Height	23×48; 29×48; 35×48; 41×48; 47×48; 53×48; 59×48; 71×48; 72×48
Valance	Plain finish Faux wood crown valance. 0.177" thick x 3.25" width.	Available Sizes, 60" Height	23×60; 27×60; 29×60; 31×60; 34×60; 34.5×60; 35×60; 36×60; 37×60; 39×60; 43×60; 46×60; 47×60; 48×60; 53×60; 58.5×60; 59×60; 63×60; 70×60; 70.5×60; 71×60; 72×60
Tape Roller Support	Injection molded plastic with metal roller minimizing cord tray.	Available Sizes, 64" Height	35×64; 36×64; 52×64
Wand	Injection molded plastic	Available Sizes, 72" Height	12×72; 17×72; 23×72; 24×72; 25×72; 27×72; 29×72; 31×72; 34×72; 34.5×72; 35×72; 36×72; 37×72; 39×72; 43×72; 46×72; 47×72; 48×72; 52×72; 54×72; 59×72; 63×72; 70×72; 70.5×72; 71×72; 72×72; 85×72
Tape Roller	Injection molded plastic with ladder locking legs.	Available Sizes, 84" Height	25×84; 27×84; 31×84; 35×84; 36×84; 43×84; 48×84
Tilt Rod	Hexagonal steel shaft. 0.22 diameter.		
Tilter	Injection molded plastic wheel with plastic hood.		
Bottomrail Anchors	Injection molded plastic.		
Ladder	Braided polyester ladder 2.126" spacing x 1.81" height.		
Center Support	Plated steel.		



3.5 Inch Economy Blinds

- 3.5" Wide slats for designer look
- Matching crown valance
- Heavy duty steel headrail
- Child-safe wand design
- Stack left or right

Available Sizes, 36" Height	35×36; 47×36; 59×36; 71×36
------------------------------------	----------------------------

Available Sizes, 46" Height	46×46
------------------------------------	-------

Available Sizes, 48" Height	23×48; 35×48; 43×48; 46.5×48; 47×48; 48.5×48; 59×48; 63×48; 70.5×48; 71×48; 72×48; 78×48; 102×48
------------------------------------	--

Available Sizes, 58" Height	34×58; 46×58; 58×58
------------------------------------	---------------------


Available Sizes, 60" Height	23×60; 35×60; 43×60; 47×60; 59×60; 63×60; 70×60; 71×60; 72×60; 78×60; 102×60
------------------------------------	--

Available Sizes, 72" Height	34×72; 35×72; 43×72; 47×72; 59×72; 63×72; 71×72; 72×72; 78×72; 102×72
------------------------------------	---

Available Sizes, 84" Height	54×84; 59×84; 66×84; 71×84; 72×84; 78×84; 85×84; 97×84; 102×84; 104×84; 110×84; 116×84
------------------------------------	--


Available Sizes, 96" Height	66×96; 78×96; 102×96; 104×96; 110×96; 116×96
------------------------------------	--

Roller Shades



Roller Shades

- Flocked blackout material or 7/16" single cell light filtering material.
- Choose a Roman Fold Roll Up for a fuller look at a slight up-charge.
- Optional 3½" dust cover valance or aluminum fascia and other options.
- Raindrop like design gives it a unique look.
- All mounting hardware and installation screws included.
- Continuous loop clutch roller for smooth operation.
- Standard Easy Rise. Optional Cordless, Top Down / Bottom Up, or Motorized.
- Choose from a wide array of colors to match any decor.



Fascia	Standard- No Fascia; Standard- Metal Fascia; Standard- Curved Insert Fascia
3% (97% of UV is blocked)	Oyster; Beige; Grey; Chestnut; Charcoal
1% (99% of UV is blocked)	Chalk; Alabaster; Grey; Tobacco; Black
Blackout (100% of UV is blocked)	White; Dark Grey; Black

Wire Shelving



Easy organization: The WireTrac system is the quickest way to get organization in any closet. Use it anywhere in the home: walk-ins, reach-ins, pantries, linen closets, laundry, & more. Durability: Easy to install, the WireTrac system is fixed to the wall at set heights and provides the strength homeowners need. Value: More economical than wood, WireTrac offers closet organization and functionality for less. Homeowners get storage and affordability.



Shelf and Rod

Comes in 12" or 16" depth. Best for bedroom closets and coat closets.

Load Capacity (lbs per linear foot), 1 FOOT, OPEN TO OPEN	80	Load Capacity (lbs per linear foot), 4 FOOT, OPEN TO OPEN	45
Load Capacity (lbs per linear foot), 1 FOOT, WALL TO OPEN	100	Load Capacity (lbs per linear foot), 4 FOOT, WALL TO OPEN	55
Load Capacity (lbs per linear foot), 1 FOOT, WALL TO WALL	120	Load Capacity (lbs per linear foot), 4 FOOT, WALL TO WALL	65
Load Capacity (lbs per linear foot), 2 FOOT, OPEN TO OPEN	70	Load Capacity (lbs per linear foot), 5 FOOT, OPEN TO OPEN	40
Load Capacity (lbs per linear foot), 2 FOOT, WALL TO OPEN	80	Load Capacity (lbs per linear foot), 5 FOOT, WALL TO OPEN	50
Load Capacity (lbs per linear foot), 2 FOOT, WALL TO WALL	90	Load Capacity (lbs per linear foot), 5 FOOT, WALL TO WALL	60
Load Capacity (lbs per linear foot), 3 FOOT, OPEN TO OPEN	50	Load Capacity (lbs per linear foot), 6+ FOOT, OPEN TO OPEN	35
Load Capacity (lbs per linear foot), 3 FOOT, WALL TO OPEN	60	Load Capacity (lbs per linear foot), 6+ FOOT, WALL TO OPEN	40
Load Capacity (lbs per linear foot), 3 FOOT, WALL TO WALL	75	Load Capacity (lbs per linear foot), 6+ FOOT, WALL TO WALL	50
		Depth	12", 16"



MaxGlide Shelf and Rod

Comes in 12" or 16" depth. Allows for hangers to glide the entire length.

Load Capacity (lbs per linear foot), 1 FOOT, OPEN TO OPEN	80	Load Capacity (lbs per linear foot), 4 FOOT, OPEN TO OPEN	45
Load Capacity (lbs per linear foot), 1 FOOT, WALL TO OPEN	100	Load Capacity (lbs per linear foot), 4 FOOT, WALL TO OPEN	55
Load Capacity (lbs per linear foot), 1 FOOT, WALL TO WALL	120	Load Capacity (lbs per linear foot), 4 FOOT, WALL TO WALL	65
Load Capacity (lbs per linear foot), 2 FOOT, OPEN TO OPEN	70	Load Capacity (lbs per linear foot), 5 FOOT, OPEN TO OPEN	40
Load Capacity (lbs per linear foot), 2 FOOT, WALL TO OPEN	80	Load Capacity (lbs per linear foot), 5 FOOT, WALL TO OPEN	50
Load Capacity (lbs per linear foot), 2 FOOT, WALL TO WALL	90	Load Capacity (lbs per linear foot), 5 FOOT, WALL TO WALL	60
Load Capacity (lbs per linear foot), 3 FOOT, OPEN TO OPEN	50	Load Capacity (lbs per linear foot), 6+ FOOT, OPEN TO OPEN	35
Load Capacity (lbs per linear foot), 3 FOOT, WALL TO OPEN	60	Load Capacity (lbs per linear foot), 6+ FOOT, WALL TO OPEN	40
Load Capacity (lbs per linear foot), 3 FOOT, WALL TO WALL	75	Load Capacity (lbs per linear foot), 6+ FOOT, WALL TO WALL	50
		Depth	12", 16"



Linen

Comes in 9", 12", or 16" depth. Best for pantry, laundry, and linen closets.

Load Capacity (lbs per linear foot), 1 FOOT, OPEN TO OPEN	80	Load Capacity (lbs per linear foot), 4 FOOT, OPEN TO OPEN	45
Load Capacity (lbs per linear foot), 1 FOOT, WALL TO OPEN	120	Load Capacity (lbs per linear foot), 4 FOOT, WALL TO OPEN	65
Load Capacity (lbs per linear foot), 1 FOOT, WALL TO WALL	120	Load Capacity (lbs per linear foot), 4 FOOT, WALL TO WALL	65
Load Capacity (lbs per linear foot), 2 FOOT, OPEN TO OPEN	70	Load Capacity (lbs per linear foot), 5 FOOT, OPEN TO OPEN	40
Load Capacity (lbs per linear foot), 2 FOOT, WALL TO OPEN	90	Load Capacity (lbs per linear foot), 5 FOOT, WALL TO OPEN	60
Load Capacity (lbs per linear foot), 2 FOOT, WALL TO WALL	90	Load Capacity (lbs per linear foot), 5 FOOT, WALL TO WALL	60
Load Capacity (lbs per linear foot), 3 FOOT, OPEN TO OPEN	50	Load Capacity (lbs per linear foot), 6+ FOOT, OPEN TO OPEN	35
Load Capacity (lbs per linear foot), 3 FOOT, WALL TO OPEN	75	Load Capacity (lbs per linear foot), 6+ FOOT, WALL TO OPEN	50
Load Capacity (lbs per linear foot), 3 FOOT, WALL TO WALL	75	Load Capacity (lbs per linear foot), 6+ FOOT, WALL TO WALL	50
		Depth	9", 12", 16"




Tight Mesh

Comes in 9", 12", 16" or 20" depth. Features narrower wire spacing.

Load Capacity (lbs per linear foot), 1 FOOT, OPEN TO OPEN	80	Load Capacity (lbs per linear foot), 4 FOOT, OPEN TO OPEN	45
Load Capacity (lbs per linear foot), 1 FOOT, WALL TO OPEN	120	Load Capacity (lbs per linear foot), 4 FOOT, WALL TO OPEN	65
Load Capacity (lbs per linear foot), 1 FOOT, WALL TO WALL	120	Load Capacity (lbs per linear foot), 4 FOOT, WALL TO WALL	65
Load Capacity (lbs per linear foot), 2 FOOT, OPEN TO OPEN	70	Load Capacity (lbs per linear foot), 5 FOOT, OPEN TO OPEN	40
Load Capacity (lbs per linear foot), 2 FOOT, WALL TO OPEN	90	Load Capacity (lbs per linear foot), 5 FOOT, WALL TO OPEN	60
Load Capacity (lbs per linear foot), 2 FOOT, WALL TO WALL	90	Load Capacity (lbs per linear foot), 5 FOOT, WALL TO WALL	60
Load Capacity (lbs per linear foot), 3 FOOT, OPEN TO OPEN	50	Load Capacity (lbs per linear foot), 6+ FOOT, OPEN TO OPEN	35
Load Capacity (lbs per linear foot), 3 FOOT, WALL TO OPEN	75	Load Capacity (lbs per linear foot), 6+ FOOT, WALL TO OPEN	50
Load Capacity (lbs per linear foot), 3 FOOT, WALL TO WALL	75	Load Capacity (lbs per linear foot), 6+ FOOT, WALL TO WALL	50
		Depth	9", 12", 16", 20"

Toilet Partitions



Hiny Hiders Partitions

- Durable HDPE material
- Large selection of colors and textures
- Customizable Partitions & Engraveable
- Fire Rating Options
- Three ADA Compliant Configurations



Traditional Color Collection	Paisley (OP); Shale (OP); Black (OP); Charcoal Grey (OP); Black (EX); Grey (OP); White (OP); Glacier Grey (OP)	Strikes	6" Aluminum; 54", 71" Continuous Aluminum*; 3" Stainless Steel emergency access
Warm Tone Color Collection	Mahogany (OP); Linen (OP); Concrete (OP); Sandstone (OP); Mocha (OP); Desert Beige (OP); Sandcastle (OP)	Stirrup Brackets	Aluminum or Stainless Steel Double Ear; Single Ear
Bold Color Collection	Burgundy (OP); Blueberry (OP); Fossil (OP); French Blue (OP); Hunter Green (OP)	Head Rail	Aluminum
Metallic Color Collection	Stainless (H); Bronze (H); Stainless (RB); Bronze (RB); Stainless (EX); Nickel (H); Nickel (RB)	Latches	Aluminum or Stainless Steel**; Occupancy Indicator
Continuous Bracket	54" Plastic, Aluminum* 54" or 68", or Stainless Steel*; Double Ear; Single Ear	Shoes	Plastic Pilaster**; Stainless Steel
		Hinges	8" Wrap Around; 54", 71", 65" Continuous Aluminum*; 54", 65", Continuous Stainless Steel Helix*; 54", Continuous Stainless Steel Spring Loaded*; Stealth Integral Hinge; Regal Hinge; Vault Hinge

Knox Boxes and Key Cabinets



Share access with dual lock capability

Store up to 50 keys, access cards, or entry items

UL 1037, UL 1610, UL 1332, UL 437

Highest security when equipped with optional alarm tamper alert

Built Knox-Rugged

Available in 3 colors

Recess Mounting Kit recommended for new concrete or masonry construction



Recessed Mount Knox Box AX-KB-4439

Recessed Mount Aluminum 7"H x 7"W x 4.5"D

Recessed Mount; Aluminum; 7"H x 7"W x 4.5"D

Mounting: Recessed Mount

Finish: Aluminum

Size: 7"H x 7"W x 4.5"D



Recessed Mount Knox Box AX-KB-4430

Recessed Mount Black 7"H x 7"W x 4.5"D

Recessed Mount; Black; 7"H x 7"W x 4.5"D

Mounting: Recessed Mount

Finish: Black

Size: 7"H x 7"W x 4.5"D



Recessed Mount Knox Box AX-KB-4443

Recessed Mount Dark Bronze 7"H x 7"W x 4.5"D

Recessed Mount; Dark Bronze; 7"H x 7"W x 4.5"D

Mounting: Recessed Mount

Finish: Dark Bronze

Size: 7"H x 7"W x 4.5"D



Surface Mount Knox Box AX-KB-4409

Surface Mount Aluminum 7"H x 7"W x 4.5"D

Surface Mount; Aluminum; 7"H x 7"W x 4.5"D

Mounting: Surface Mount

Finish: Aluminum

Size: 7"H x 7"W x 4.5"D





Surface Mount Knox Box
AX-KB-4401

Surface Mount Black 7"H x 7"W x 4.5"D

Surface Mount; Black; 7"H x 7"W x 4.5"D

Mounting: Surface Mount

Finish: Black

Size: 7"H x 7"W x 4.5"D

UL Listed

UL 1037

UL 1610

UL 1332

UL 437



Surface Mount Knox Box
AX-KB-4413

Surface Mount Dark Bronze 7"H x 7"W x 4.5"D

Surface Mount; Dark Bronze; 7"H x 7"W x 4.5"D

Mounting: Surface Mount

Finish: Dark Bronze

Size: 7"H x 7"W x 4.5"D

UL Listed

UL 1037

UL 1610

UL 1332

UL 437



Recessed Mount Knox Box
AX-KB-3572

Recessed Mount Aluminum 4"H x 5"W x 3"D

Recessed Mount; Aluminum; 4"H x 5"W x 3"D

Mounting: Recessed Mount

Finish: Aluminum

Size: 4"H x 5"W x 3"D

UL Listed

UL 1037

UL 1610

UL 1332

UL 437



Recessed Mount Knox Box
AX-KB-3270

Recessed Mount Black 4"H x 5"W x 3"D

Recessed Mount; Black; 4"H x 5"W x 3"D

Mounting: Recessed Mount

Finish: Black

Size: 4"H x 5"W x 3"D

UL Listed

UL 1037

UL 1610

UL 1332

UL 437



Recessed Mount Knox Box
AX-KB-3274

Recessed Mount Dark Bronze 4"H x 5"W x 3"D

Recessed Mount; Dark Bronze; 4"H x 5"W x 3"D

Mounting: Recessed Mount

Finish: Dark Bronze

Size: 4"H x 5"W x 3"D

UL Listed

UL 1037

UL 1610

UL 1332

UL 437



Surface Mount Knox Box
AX-KB-3263

Surface Mount Aluminum 4"H x 5"W x 3"D

Surface Mount; Aluminum; 4"H x 5"W x 3"D

Mounting: Surface Mount

Finish: Aluminum

Size: 4"H x 5"W x 3"D

UL Listed

UL 1037

UL 1610

UL 1332

UL 437



Surface Mount Knox Box
AX-KB-3261

Surface Mount Black 4"H x 5"W x 3"D

Surface Mount; Black; 4"H x 5"W x 3"D

Mounting: Surface Mount

Finish: Black

Size: 4"H x 5"W x 3"D

UL Listed

UL 1037

UL 1610

UL 1332

UL 437



Surface Mount Knox Box
AX-K-B3265

Surface Mount Dark Bronze 4"H x 5"W x 3"D

Surface Mount; Dark Bronze; 4"H x 5"W x 3"D

Mounting: Surface Mount

Finish: Dark Bronze

Size: 4"H x 5"W x 3"D

UL Listed

UL 1037

UL 1610

UL 1332

UL 437



240 Key Cabinet

AX-403012

240 Key Cabinet Locking door with 2 keys 16.5"W x 20.125"H x 4.875"D
Locking door with 2 keys; 16.5"W x 20.125"H x 4.875"D

Size: 16.5"W x 20.125"H x 4.875"D



Paper Key Tag

AX-403020

Paper Key Tag 1.25" Diameter
Single hole with split ring 20 per pack

1.25" Diameter; Single hole with split ring; 20 per pack

Diameter: 1.25"

Pack: 20 per pack



Square Key Tag

AX-403201

Square Key Tag Slotted for key cabinet Metal snap hook 20 per pack

Slotted for key cabinet; Metal snap hook; 20 per pack

Pack: 20 per pack



Key Ring

AX-403295


Key Ring 1" diameter Split ring design 100 per pack

1" diameter; Split ring design; 100 per pack

Diameter: 1"

Pack: 100 per pack

Mirrors and LED Mirrors



Standard Mirrors

- Mirrors are manufactured in accordance with ASTM C1503.
- Custom Sizing: Custom sizes are available. Maximum sizes up to 100" x 144".

Standard Sizing

42"H x 30"W; 42"H x 32"W; 42"H x 34"W; 42"H x 42"W; 42"H x 48"W; 48"H x 30"W; 48"H x 32"W; 48"H x 34"W; 48"H x 42"W; 48"H x 48"W

ASTM C1036 ASTM C1503



LED Mirrors

Mirrors are manufactured in accordance with ASTM C1503.; Custom Sizing: Custom sizes are available. Maximum sizes up to 100" x 144".

Standard Sizing: 36"H x 28"W, 36"H x 30"W, 36"H x 34"W, 36"H x 36"W

ASTM C1036 ASTM C1503

Fire Extinguishers and Cabinets

Class A Fires: Common Combustibles

Class B Fires: Flammable Liquids and Gases

Class C Fires: Energized Electrical Equipment

Class K Fires: Cooking Oils, Greases, and Fats



**ABC Fire Extinguisher
AX-FED-2.5ABC**

1A-10B:C Rated

1A-10B:C Rated

Rating: 1A-10B:C Rated



**ABC Fire Extinguisher
AX-FED-5ABC**

3A-40B:C Rated Available with
Brass Valve Upon Request

3A-40B:C Rated; Available with
Brass Valve Upon Request

Rating: 3A-40B:C Rated



**ABC Fire Extinguisher
AX-FED-10ABC**

4A-80B:C Rated Available with
Brass Valve Upon Request

4A-80B:C Rated; Available with
Brass Valve Upon Request

Rating: 4A-80B:C Rated



**ABC Fire Extinguisher
AX-FED-20ABC**

10A-120B:C Rated Available with
Brass Valve Upon Request

10A-120B:C Rated; Available with
Brass Valve Upon Request

Rating: 10A-120B:C Rated



**Class K Fire Extinguisher
AX-FED-15K**

1A:K Rated

1A:K Rated

Rating: 1A:K Rated



**Fire Extinguisher Cabinet
AX-FEC1**

Glazing, Mounting, Finish, & Rating
are Customizable

Glazing, Mounting, Finish, & Rating
are Customizable



**Fire Extinguisher Cabinet
AX-FEC2**

Glazing, Mounting, Finish, & Rating
are Customizable

Glazing, Mounting, Finish, & Rating
are Customizable



**Fire Extinguisher Cabinet
AX-FEC3**

Glazing, Mounting, Finish, & Rating
are Customizable

Glazing, Mounting, Finish, & Rating
are Customizable



**Fire Extinguisher Cabinet
AX-FEC4**

Glazing, Mounting, Finish, & Rating
are Customizable

Glazing, Mounting, Finish, & Rating
are Customizable

Pet Stations, Bike Racks and Benches



Poly Pet Station

AX-415041

Poly Pet Station Reflective 12"x18" Sign 10 gal. poly receptacle with lid - 21" x 13" x 12" 4'8" telescopic post

Reflective 12"x18" Sign; 10 gal. steel receptacle with lid - 21" x 13" x 12"; 4'8" telescopic post



Aluminum Pet Station

AX-415040

Aluminum Pet Station Reflective 12"x18" Sign 10 gal. steel receptacle with lid - 21" x 13" x 12" 4'8" telescopic post

Reflective 12"x18" Sign; 10 gal. steel receptacle with lid - 21" x 13" x 12"; 4'8" telescopic post



Hanging Bag Pet Station

AX-415044

Hanging Bag Pet Station Reflective 12"x18" Sign 10 gal. steel receptacle with lid - 21" x 13" x 12" 4'8" telescopic post

Reflective 12"x18" Sign; 10 gal. steel receptacle with lid - 21" x 13" x 12"; 4'8" telescopic post



Junior Bag Dispenser

AX-415043

Junior Bag Dispenser R12 gauge powder coated aluminum Front locking access panel Clearly posted installation instructions and mounting hardware included R12 gauge powder coated aluminum; Front locking access panel; Clearly posted installation instructions and mounting hardware included



Arched Stepping Bones

AX-472009

Arched Stepping Bones Tough Thermoplastic coating Each step is 16"W x 12"D 84" Overall Length
Tough Thermoplastic coating; Each step is 16"W x 12"D; 84" Overall Length



Bone Table

AX-472010


Bone Table Tough Thermoplastic coating 60"L x 24"W
Tough Thermoplastic coating; 60"L x 24"W



Dog Themed Bone Bench

AX-472012

Dog Themed Bone Bench Tough Thermoplastic coating Ground or surface mounting 72" Long - Steel frame
Tough Thermoplastic coating; Ground or surface mounting; 72" Long - Steel frame



Three Hoop Dog Shaped Jump

AX-472008

Three Hoop Dog Shaped Jump Securely mounted with 1.9" 13 gauge tubing Secure anchors 80"L x 42"H 24" Openings
Securely mounted with 1.9" 13 gauge tubing; Secure anchors; 80"L x 42"H 24" Openings



Bone Leash Post

AX-472014

Bone Leash Post Four places for multiple leashes Bone themed for dog parks 36"High made of 2.375" Piping

Four places for multiple leashes; Bone themed for dog parks; 36"High made of 2.375" Piping



Dog Themed Trash Receptacle

AX-472005

Dog Themed Trash Receptacle 32 gallon capacity Comes with 1 box of 33 gal. liners Tough thermoplastic coating

32 gallon capacity; Comes with 1 box of 33 gal. liners; Tough thermoplastic coating



Steel Trash Receptacle

AX-415055

Steel Trash Receptacle 10 gallon with hinged lid Includes mounting hardware and box of 50 can liners
10 gallon with hinged lid; Includes mounting hardware and box of 50 can liners



Litter Pick-up Bags

AX-451048

Litter Pick-up Bags 13" x 8" - 0.8 mil thickness 200 bags per roll 10 rolls per case

13" x 8" - 0.8 mil thickness; 200 bags per roll; 10 rolls per case



Header Station Pick-up Bags

AX-415050

Header Station Pick-up Bags 13" x 8" - 0.8 mil thickness Replacement bags for AX-415044

13" x 8" - 0.8 mil thickness; Replacement bags for AX-415044



Can Liners

AX-415047

Can Liners 10-15 gallon 1.5 mil thickness 50 per box
10-15 gallon; 1.5 mil thickness; 50 per box



Pick-up Bags

AX-415062

13" x 8" - 0.8 mil thickness 200 bags per roll Fits many pet stations
13" x 8" - 0.8 mil thickness; 200 bags per roll; Fits many pet stations



Dog Wash Station, 50"

AX-DWS-1000-L

50" Left Door/Right Drain

AX-DWS-1000-R

50" Right Door/Left Drain

50" Left Door/Right Drain; 50" Right Door/Left Drain

Door/Drain: L = Left Door/Right Drain, R = Right Door/Left Drain



Dog Wash Station, 62"

AX-DWS-1002-L

62" Left Door/Right Drain

AX-DWS-1002-R

62" Right Door/Left Drain

62" Left Door/Right Drain; 62" Right
Door/Left Drain

Door/Drain: L = Left Door/Right
Drain, R = Right Door/Left Drain

MULTIFAMILY SPECIALTIES

Site Furnishings

Benches

Tables and Chairs

Trash and Recycling

Bike Racks

Cigarette Receptacles

Planters

Umbrellas

Bollards

Grills



Benches



Bench
AX-SF-1004



Bench
AX-SF-1010



Bench
AX-SF-1016



Bench
AX-SF-1018

Tables and Chairs



Table with Attached Seats
AX-SF-1028



Picnic Table
AX-SF-1042



Round Table
AX-SF-1038



Chair
AX-SF-1036


Trash and Recycling



Trash Receptacle
AX-SF-1058



Trash Receptacle
AX-SF-1062



Trash Receptacle
AX-SF-1068



Recycling Receptacle
AX-SF-1078

Bike Racks



Bike Rack
AX-SF-1086



Bike Rack
AX-SF-1090



Bike Rack
AX-SF-1094




Bike Rack
AX-SF-1096

Cigarette Receptacles




Cigarette Receptacle
AX-SF-2012



Cigarette Receptacle
AX-SF-2010



Cigarette Receptacle
AX-SF-2014



Cigarette Receptacle
AX-SF-2022


Planters



Planter
AX-SF-2030



Planter
AX-SF-2034



Planter
AX-SF-2026



Planter
AX-SF-2036

Umbrellas



Umbrella
AX-SF-2038




Umbrella
AX-SF-2040



Umbrella
AX-SF-2042

Bollards



Bollard
AX-SF-2028



Bollard
AX-SF-2030



Bollard
AX-SF-2044



Bollard
AX-SF-2046

Grills



Grill
AX-SF-2032



Grill
AX-SF-2034

MULTIFAMILY SPECIALTIES

911 Call Boxes and Low Voltage Media Center

911 Call Boxes

Low Voltage Media Center



911 Call Boxes



Emergency Phone
AX-F-911PHONE-1000
Wired/Wireless Connection
Programmed to call 911
Wired/Wireless Connection;
Programmed to call 911




Emergency Phone
AX-F-911PHONE-1002
Wired/Wireless Connection
Programmed to call 911
Wired/Wireless Connection;
Programmed to call 911

Low Voltage Media Center



Low Voltage Media Center
AX-LV-1000

Reusable Construction Entrance



Reusable Construction Entrance

- Pyramids effectively clean tires through compression and stretching without damage to the tire
- Improves compliance, prevents road hazards
- Built-in ramp for gradual transition onto and off of mats

Model	Description
AX-RCE-12X7	Reusable Construction Entrance



Mat Size	12'(w) x 7'(l) x 3 3/4"(h)
Pyramid Size	2 7/8"(h)
Mat Weight	420 lbs.
Lifespan	10+ years

Install In	30 Minutes
Crush Rating	2.8 Million lbs.
Life Span	10+ Years



Field *and* Fixtures

Lighting | Plumbing | Project Supply

Tell us about your project

Send us the basics and we'll follow up within one business day.

CONTACT

Matt DelPrincipe
matt@fieldandfixtures.com
817-733-8490

OFFICE

Field and Fixtures LLC
479 E Quitman St, Suite 200
Emory, TX 75440

WEB

fieldandfixtures.com
Every product line with model numbers, and all six catalogs to download.

Field *and* Fixtures

Sourced. Stocked. Delivered.